




horse
FARM 

horse FARM



The Roto wheelbarrows are suitable for use in the stable, yard or large garden. Each wheelbarrow is fitted with a galvanised metal frame and polyethylene tray. Due to the two pneumatic wheels its allows superior maneuverability and smooth handling. The wheelbarrows are tough and durable but lightweight in use, even with heavy loads.

Tipping wheelbarrows are fitted with a galvanised metal frame and polyethylene tray. Due to the two pneumatic wheels its allows superior maneuverability and smooth handling. The tipping wheelbarrows are tough and durable but lightweight in use, even with heavy loads. Due to the tipping mechanism is allows the wheelbarrow to be unloaded with ease.

The large **polyethylene tray** allows you to load up large volumes of hay, grass and bulk materials from your farm, yard or garden and maneuver around with ease.

The construction and material used in our wheelbarrows gives the frame and tray extra durability and strength for longevity.

The Roto **2 wheeled wheelbarrow** is ideal for loading up large amounts of food from your farm or yard. Due to the galvanised frame and polyethene tray this wheelbarrow is very durable and built for longevity. The Roto wheelbarrow is superbly balanced due to the 2 wheels making them ideal for maneuvering heavy loads.

The Roto **silos** is intended to store feeding stu, grain, briquettes etc. It is constructed in one piece polyethylene, which allows the silo to easily support the weight of stored material.



Frames and all PE products are made in EU.



Families of products:
same design and different size



Very light and easy to handle



Shock resistant



Ecological: non toxic and recyclable



Produced according to the **EU standards**



Weather proof and UV rays resistant



LIPICA in Slovenia is the oldest European stud farm continuously breeding one of the oldest cultural horse breeds. As such it has a remarkable significance as a cultural, historical and natural heritage for Slovenia and Europe. The history of Lipica is closely intertwined with the Habsburgs and the time when horse was considered an ideal and was at the time a crucial strategic advantage. The Lipica story begins in the 16th century when the abandoned summer residence became the court stud farm. Lipica is very famous by dressage, horse-riding, carriage-drawing and other equestrian disciplines. Visit Slovenia and discover Lipica (www.lipica.org).

EQ1 4



LV1 5

**new** LS1 6

TNT1 7

One-wheeled
wheelbarrow

EQ2 8



LV2 9

**new** LS2 10

TNT2 11

Two-wheeled
wheelbarrow

MFK 260 12



MFK 350 13



FKK 14



MPK 15

Tipping
wheelbarrow

MTT 16



FKT 330 17



FKT 18



MOTO 19



Trailers

Tray 20



Tray 21



Wheel 22



Frame 22



Spare parts

new Cavaleti wood 23

Cavaleti 24



Mounting step 25



Hay ball 26



Ride accessories

new Silo 27

Hay rack 28

**new** Water tank 29


Manger 30



Farm equipment



EQ1 wheelbarrow



ROTO EQ and ES wheelbarrows are designed with two Pneumatic wheels 4.0-4.8 with plastic rims, galvanized frame and large polyethylene tray in capacity of 200 and 350 litre. Wheelbarrow Roto EQ are made with slightly pointed design towards the front. The shape allows to tip the contents out easier, making the wheelbarrow easier to unload.



EQ1-200



ES1-200





Product	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
EQ1-200 L	galvanized	2100066480	3830050779604	1660 × 800 × 830	10	4.0-4.8
ES1-200 L	galvanized	2100066488		1660 × 800 × 830	10	4.0-4.8

new





LV1 wheelbarrow



ROTO LV1 are well-known ROTO one-wheelbarrows in the agriculture. The wheelbarrow is available with painted or galvanized frame with two pneumatic wheels 4.0-4.8 and plastic rims. The trays are made of Polyethylene in capacity from 40 to 500 litre. Wheelbarrows are very convenient to use and will make your work and transporting heavy material much easier.



LV1-40



LV1-80



LV1-120






LV1-200

Volume [L]	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
LV1-40 L	galvanized	2100092430	3831116118832	1090 × 480 × 470	60	3.0/4.0
LV1-80 L	galvanized	2100066980	3831116103982	1500 × 560 × 740	15	4.0/4.8
LV1-120 L	galvanized	2100064000	3830010982389	1500 × 750 × 750	15	4.0/4.8
LV1-200 L	galvanized	2100066270	3831116108277	1560 × 760 × 840	15	4.0/4.8
LV1-300 L	galvanized	2100065260	3830050774081	1600 × 770 × 880	10	4.0/4.8





LS1 wheelbarrow



ROTO LS1 wheelbarrows are with one pneumatic wheels 4.0-4.8 and plastic rims. Unassembled version is delivered in cardboard box, which are suitable to send per courier like TNT, DHL, GLS, DPD etc. They are easy to assembly at home. Wheelbarrows are very convenient to use and will make your work and transporting heavy material much easier.



LS1-200




new

Volume [L]	Frame	Code	Size [mm]	PCS/pallet	Wheel
LS1-40 L	galvanized	2100092438	1090 × 480 × 470	60	3.0/4.0
LS1-60 L	galvanized	2100064718	1500 × 570 × 620	15	4.0/4.8
LS1-80 L	galvanized	2100066988	1500 × 560 × 740	15	4.0/4.8
LS1-120 L	galvanized	2100064008	1500 × 750 × 750	15	4.0/4.8
LS1-200 L	galvanized	2100066278	1560 × 760 × 840	15	4.0/4.8
LS1-300 L	galvanized	2100065268	1600 × 770 × 880	10	4.0/4.8





TNT1 wheelbarrow



ROTO TNT wheelbarrows are with one pneumatic wheels 4.0-4.8 and plastic rims. Unassembled version is delivered in cardboard box, which are suitable to send per courier like TNT, DHL, GLS, DPD etc. They are easy to assembly at home. Wheelbarrows are very convenient to use and will make your work and transporting heavy material much easier.



TNT1-120




TNT1-200



Product	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
TNT1-120 L	galvanized	2100069280	3831116113530	1550 × 750 × 650	5	4.0-4.8
TNT1-200 L	galvanized	2100066240	3831116116364	1550 × 760 × 760	5	4.0-4.8



EQ2 wheelbarrow



ROTO EQ wheelbarrows are designed with two Pneumatic wheels 4.0-4.8 with plastic rims, galvanized frame and large polyethylene tray in capacity of 200 and 350 litre. Wheelbarrow Roto EQ are made with slightly pointed design towards the front. The shape allows to tip the contents out easier, making the wheelbarrow easier to unload.



EQ2-200



EQ2-350



ES2-200




Product	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
EQ2-200 L	galvanized	2100066490	3830050779611	1660 × 800 × 860	10	4.0-4.8
EQ2-350 L	galvanized	2100066390	3830050779628	1710 × 880 × 890	10	4.0-4.8
ES2-200 L	galvanized	2100066498		1660 × 800 × 860	10	4.0-4.8

new





LV2 wheelbarrow



ROTO LV2 wheelbarrow are designed with two Pneumatic wheels 4.0-4.8 with plastic rims. LV2 is the ideal piece of equipment for any heavy duty applications, bringing a hard wearing quality and unrivalled durability, as well as a huge capacity that makes this piece extremely useful.

- The wheelbarrow is fitted with twin grey 4-ply pneumatic wheels or puncture proof wheels.
- Lightweight even with heavy loads due to the centralized wheels.
- Bumper bar at the front to help protect the wheelbarrow.
- Delivers superior maneuverability and smooth handling.
- Lightweight, even with heavy loads, reducing the physical strain of the user.



LV2-180

LV2-200

LV2-250


LV2-300, wave

Volume [L]	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
LV2-180 L	galvanized	2100064790	3830050771608	1600 × 800 × 920	15	4.0-4.8
LV2-200 L	galvanized	2100066280	3831116108284	1600 × 760 × 900	15	4.0-4.8
LV2-250 L	galvanized	2100066430	3830050778645	1700 × 830 × 820	10	4.0-4.8
LV2-300 L, wave	galvanized	2100065270	3830050774098	1650 × 770 × 940	10	4.0-4.8
LV2-300 L	galvanized	2100067600	3831116150603	1740 × 940 × 920	10	4.0-4.8
LV2-350 L	galvanized	2100066450	3830050778669	1700 × 860 × 880	10	4.0-4.8
LV2-400 L	galvanized	2100067670	3831116150634	1770 × 980 × 900	10	4.0-4.8





LS2 wheelbarrow



ROTO LS2 wheelbarrow is light and has an excellent center of gravity, which makes it very easy and practical to use. With little effort, you can easily transport heavy loads without the wheelbarrow tipping over. For transport, two plastic handles ensure safe handling with the wheelbarrow as well as an air wheel, which is equipped with a metal axle.



LS2-200




new

Volume [L]	Frame	Code	Size [mm]	PCS/pallet	Wheel
LS2-180 L	galvanized	2100064798	1600 × 800 × 920	15	4.0-4.8
LS2-200 L	galvanized	2100066288	1600 × 760 × 900	15	4.0-4.8
LS2-250 L	galvanized	2100066438	1700 × 830 × 820	10	4.0-4.8
LS2-300 L, wave	galvanized	2100065278	1650 × 770 × 940	10	4.0-4.8
LS2-300 L	galvanized	2100067608	1740 × 940 × 920	10	4.0-4.8
LS2-350 L	galvanized	2100066458	1700 × 860 × 880	10	4.0-4.8
LS2-400 L	galvanized	2100067678	1770 × 980 × 900	10	4.0-4.8





TNT2 wheelbarrow



ROTO TNT2 wheelbarrow is light and has an excellent center of gravity, which makes it very easy and practical to use. With little effort, you can easily transport heavy loads without the wheelbarrow tipping over. For transport, two plastic handles ensure safe handling with the wheelbarrow as well as an air wheel, which is equipped with a metal axle. In addition, a metal support stabilizes the plastic tray.



TNT2-120



TNT2-200




Product	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
TNT2-120 L	galvanized	2100064030	3830010989388	1550 × 750 × 650	5	4.0-4.8
TNT2-200 L	galvanized	2100066220	3831116117392	1550 × 760 × 760	5	4.0-4.8



MFK

tipping wheelbarrow



ROTO MFK are tipping wheelbarrow which are fitted with a powder coated frame to stop it from rusting, large Polyethylene tray and two pneumatic wheels 4.0-4.8 with metal rims to deliver superior maneuverability and smooth handling. By gently pulling backwards and lifting the frame the tray folds back into the frame.



MFK-260



MFK-260


Product	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
MFK-260 L	painted	2100067800	3831116100776	1730 × 800 × 760	7	4.0-4.8





MFK

tipping wheelbarrow



ROTO MFK are tipping wheelbarrow which are fitted with a powder coated frame to stop it from rusting, large Polyethylene tray and two pneumatic wheels 4.0-4.8 to deliver superior maneuverability and smooth handling. Stable high elastic wheels Ø125mm protect the front rim and enable transport on flat, smooths ground with tilted application. The front rim is amplified with a 1" steel pipe for dumping.



MFK-350





MFK-350

Product	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
MFK-350 L	painted	2100067700	3831116112762	1770 x 880 x 910	7	4.0-4.8





FKK tipping wheelbarrow



ROTO FKK Tipping Equestrian Wheelbarrow is perfect for all your jobs around the yard and stable. The tipping body has a hot dipped galvanized metal frame and two pneumatic wheels to deliver superior maneuverability and smooth handling. It is tough, durable and surprisingly lightweight in use, even with heavy loads, due to the wheels being central.

The massive Polyethylene tray allows you to load up huge volumes of hay, food and waste in your farm. Made of strong, durable polyethylene – with a wall thickness of 3-6 mm - it is built to last. Completely resistant to UV and frost, it will remain in tiptop condition through all weathers. Shock-resistant and simple to clean.

Large capacity makes it ideal for efficiently cleaning out straw from sheds or stables. Suitable also for transporting your newborn calves and other small animals. Lightweight, even with heavy loads, reducing the physical strain of the user.



FKK-250

FKK-300

FKK-350

FKK-400

FKK-500

Product	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
FKK-250 L	galvanized	2100067830	3831116102183	1810 × 910 × 780	7	4.0-4.8
FKK-300 L, wave	galvanized	2100067940	3831116104668	1820 × 800 × 900	7	4.0-4.8
FKK-300 L	galvanized	2100067650	3831116150610	1960 × 980 × 920	7	4.0-4.8
FKK-350 L	galvanized	2100067850	3831116102206	1770 × 910 × 830	7	4.0-4.8
FKK-400 L	galvanized	2100067680	3831116150641	1960 × 940 × 870	7	4.0-4.8
FKK-500 L	galvanized	2100067930	3831116102503	1800 × 900 × 1000	7	4.0-4.8





MPK tipping wheelbarrow



ROTO MPK Twin Wheel Tipping Wheelbarrow is perfect all-rounder for the Equestrian Centre and Large Garden. The tray is placed low to the ground, so when loading you do not have to lift the heavy loads so high.

The large polyethylene tray allows you to load up massive quantities of hay, logs, manure and garden waste. Made of strong, durable polyethylene – with a wall thickness of 3-6 mm - it is built to last. Completely resistant to UV and frost, it will remain in tiptop condition through all weathers. Shock-resistant and simple to clean.

The tipping body has a hot dipped galvanized metal frame and two pneumatic wheels to deliver superior maneuverability and smooth handling. It is tough, durable and surprisingly lightweight in use, even with heavy loads. The front rim is amplified with a 1" steel pipe for extra protection while dumping heavier loads.



MPK-250



MPK-300



MPK-350



MPK-400

Product	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
MPK-250 L	galvanized	2100069250	3831116113509	1800 × 900 × 760	10	4.0-4.8
MPK-300 L	galvanized	2100067660	3831116150627	1850 × 940 × 840	10	4.0-4.8
MPK-350 L	galvanized	2100069270	3831116113523	1800 × 900 × 800	10	4.0-4.8
MPK-400 L	galvanized	2100067690	3831116150658	1900 × 980 × 880	10	4.0-4.8





MTT tipping trailer



COUPLING BALL



PIN

ROTO MTT trailer are perfect for the equestrian yard, farm or large garden as they are robust and built to last. The rotomoulded polyethylene trays have been tested to extreme temperatures and proven to be resistant to UV and frost, so will remain in tiptop condition through all weathers. Shock-resistant and simple to clean, you will not have to worry about the tray becoming brittle or cracking. It allows you to tip the trailer while being connected to your quad or tractor lawn mower, just by releasing a pin. Just back the trailer up to your dumping spot, release the pin and tip the trailer - nice and easy.

- Powder coated frame to stop it from rusting
- Bowl fold - function dump.
- Articulated drawbar coupling ball or pin
- Pneumatic wheels 600-6 with robust axle and roller bearings. Maximum used 25 km/h.
- Usage: in the farm for the machines which do not go by the high way



MTT-300
max. load 250 kg



MTT-500
max. load 400 kg

Product	Frame	Code	EAN Code	Size [mm]	Wheel
MTT-300 L with coupling ball connector	painted	2100067540	3831116116371	1670 × 770 × 910	600-6
MTT-300 L with PIN connector	painted	2101567540	3831116128398	1670 × 770 × 910	600-6
MTT-500 L with coupling ball connector	painted	2100067520	3831116112991	2100 × 900 × 1000	600-6





Food storage CONTAINER

Material:

- Made of sturdy, UV-resistant polyethylene.
- Polyethylene is temperature resistant and corrosion resistant
- Long service life - polyethylene
- Wall thickness: 3-6 mm
- Weight: approx. 12 kg

FOOD STORAGE CONTAINER protects your horse's feed from rodents.

- The container has an opening so that even a full food container can be moved with a standard forklift.
- Easy-open lid has a lockable latch.
- A safety feature is the rounded edges to prevent injury to users.
- Food containers are stackable during storage.
- After use, the food container can be 100% recycled.

Colors:



200 L



330 L




FKT-330 L

Product	Code	EAN	Size [mm]	Wheel
Hay feeder 200 L	2100061248	3831116141632	900 × 700 × 540	-
Food storage container 330 L	2100077381	3831116122525	1150 × 860 × 610	-
FKT trailer 330 L with cover, galvanized frame	2100067790	3831116143506	1600 × 900 × 840	4.0-4.8





TRIPLE feed barrow



TRIPLE FEED BARROW are very robust thanks to their metallic chassis and strong trays. The Roto FKT-trailers with 3 wheels (1 solid rubber tire Ø200 with deflection roller) and with a massive tub are ideal to load up huge volumes of food in your farm. Fitted with a swivel wheel makes Roto FKT Trailers excellent for manoeuvrability and control.



FKT-250



FKT-300



FKT-350



FKT-500

Product	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
FKT-250 L	galvanized	2100067860	3831196102213	1450 × 910 × 660	7	4.0-4.8
FKT-300 L	galvanized	2100067870	3831116102220	1500 × 910 × 750	7	4.0-4.8
FKT-350 L	galvanized	2100067880	3831116102237	1550 × 910 × 700	7	4.0-4.8
FKT-500 L	galvanized	2100067890	3831116102466	1700 × 910 × 900	7	4.0-4.8





MOTO barrow classic



MOTO BARROW through having its leading wheel driven by an electric motor is ideal for carrying heavy or bulky material. It functions perfectly well in numerous domestic and industrial conditions, it will work well in difficult terrain including up or down hill slopes. Motobarrow makes load manipulation much easier than standard wheel barrow's, its 12 volt lead battery is safe to use with no danger of electrical spillage. Operation comfortably and safely thanks to the control element on the right handle. Moto barrow is perfect for work around a house, yard, garden, farm, construction or industry and especially in the forest.



MOTO-120
max. load 150 kg



MOTO-200
max. load 150 kg



MOTO-500
max. load 400 kg

Product	Frame	Code	EAN Code	Size [mm]	PCS/pallet	Wheel
MOTO-120 L	painted	2100066970	3831116103999	1650 × 820 × 750	10	4.0-4.8
MOTO-200 L	painted	2100066960	3831116104002	1500 × 730 × 620	10	4.0-4.8
MOTO-500 L, jumbo double	painted	2100069260	3831116113516	2300 × 970 × 900	2	4.0-4.8
Charger for battery	-	2100090110	-	-	-	-

Charger is not part of shipment and is necessary to order that separately. It is possible use a good car-charger to 12 V



SPARE PARTS

TRAY for wheelbarrow

The plastic trays are perfect for the equestrian environment as, unlike metal trays, they are not affected by toxins and are easy to clean. Made of strong, durable polyethylene – with a wall thickness of 4.8-5.6mm - it is built to last. Completely resistant to UV and frost, it will remain in tiptop condition through all weathers. Shock-resistant and simple to clean.

Advantages of Polyethylene trays:

- Lightweight
- Easy in use and self assembly
- Simple to clean
- Durable (wall thickness 3-6 mm)

- Stabilized against UV rays and frost
- 100% recycle after use
- high quality

Colors: 

Product	Code	EAN Code	Size [mm]	PCS/pallet
40 L	2100064800	3831116108253	690 × 475 × 205	80*
60 L	2100064730	3830010980200	880 × 550 × 250	80*
80 L	2100064740	3830010981702	860 × 570 × 330	60*
120 L	2100064750	3830010982372	990 × 770 × 365	40*
180 L	2100064770	3830010984598	1100 × 820 × 480	40*
200 L	2100066330	3831116106679	1150 × 775 × 460	40*
250 L	2100066400	3830050778478	1290 × 860 × 415	20
260 L	2100094840	3831116127254	1200 × 800 × 440	25
300 L, wave	2100064400	3830050773169	1170 × 770 × 530	10
300 L	2100094850	3831116148297	1480 × 910 × 470	20
350 L	2100066410	3830050778621	1400 × 865 × 455	20
400 L	2100094860	3831116148303	1600 × 970 × 540	20
500 L	2100066340	3831116102152	1420 × 850 × 700	10

* wooden box pallet - load 2x more





40 L



60 L



80 L



120 L



180 L



200 L



250 L



260 L



300 L, wave



300 L



350 L




400 L



500 L



SPARE PARTS




Code: **1292020**
Wheel **4.0/4.8, PU**
Rim **metal**



Code: **1292018**
Wheel **4.0/4.8 (red)**
Rim **metal**



TNT wheel
Code: **1292021**
Wheel **4.0/4.8 (grey)**
Rim **plastic**



Code: **1292016**
Wheel **3.5**
Rim **plastic**

Code: **1292017**
Wheel **4.0/4.8 (grey)**
Rim **plastic**

WOODEN TRANSPORT BOX

Product	Size [mm]	Code
Wooden pallet	1200 × 800 × 150	2900003
Frame for wooden pallet	1200 × 800 × 200	2900004
Cover for wooden pallet	1200 × 800 × 50	2900005





CAVALETTI BLOCK wood imitation



CAVALETTI BLOCK it's a high quality product made from polyethylene with options to put tubes barriers on each sides excellent for building cavaletties, training jumps, parallels, cross poles and ground lines. They are designed to use singly or stacked. Made from polyethylene, tested to extreme temperatures (-65 to + 85 degrees Celsius) to make sure it has longevity through the years and through our ever changing weather. Easy to clean and very strong but light enough to move from area to area.

Colors:



CUBE



stackable


new

Product	Code	EAN Code	Size [mm]	PCS/pallet
Cavaletti block CUBE	2100586050	3831116157794	400 × 400 × 400	36






CAVALETTI BLOCK



CAVALETTI BLOCK it's a high quality product made from polyethylene with options to put tubes barriers on each sides excellent for building cavaletties, training jumps, parallels, cross poles and ground lines. They are designed to use singly or stacked. Made from polyethylene, tested to extreme temperatures (-65 to + 85 degrees Celsius) to make sure it has longevity through the years and through our ever changing weather. Easy to clean and very strong but light enough to move from area to area.

Colors: 



CAVALETTI XX




CAVALETTI X

Product	Code	EAN Code	Size [mm]	PCS/pallet
Cavaletti block XX	2100586000	3830050776788	610 × 385 × 230	36
Cavaletti block X	2100586030	3831116127261	380 × 310 × 220	72





MOUNTING STEP



MOUNTING STEP it's a high quality product made from polyethylene and has a three steps. On the back is an integrated handle and a storage cabinet. Perfect for traveling to shows, camping or around the house or barn. The mounting block has a multipurpose function that allows the rider to use it as a jumping block, allowing the option of 6 available jump heights shown below. The jump poles can be placed in the shallow cups allowing the creation of a triple jump. It's extremely well made and can be kept outside in all weathers. It's UV stable, so it will not fade and look tatty over time, and comes in a range of colors.

Colors: ■ ■ ■ ■ ■ ■ ■ ■

3in1 - mounting step/cavaletti block/storage cabinet

- thanks to it's 11 height slots it can be used as a cavaletti block
- with rounded edges
- storage cabinet with waterproof cover
- on the stairs are ribs against the slipping




Product	Code	EAN Code	Size [mm]	PCS/pallet
Mounting step	2100586010	3831116112588	800 × 680 × 600	8
Mounting step with storage cabinet	2100586020	3831116112595	800 × 680 × 600	8
Mounting step with LED lights	2100586020	3831116112595	800 × 680 × 600	8




PLAY PRODUCTS

Colors:



SNACK BALL & HAY BALL is the perfect companion for conscientious owners as it encourages horses to mimic natural grazing behaviour, which is beneficial to their digestion. It also helps horses to stretch forwards and down, which may enhance their muscle tone and flexibility. A large opening, with secure cap, allows the hay to be easily inserted into the ball. A rope is built into the ball giving you the option hanging it in the stable. Products are made of strong, durable polyethylene. Resistant to UV and frost, shock – resistant and simple to clean.



SNACK BALL



HAY BALL




PONY GAME BIN

Product	Code	EAN Code	Size [mm]	PCS/pallet
Snack ball	2100512930	3830043917464	Ø300	64
Hay ball with cover	2906204060	3858883812015	Ø400	24
Hay ball with cover and rope	2100512870	3831116118955	Ø400	24
Pony game bin	2101228068	3831116152263	Ø430 × 600	35



SILO

The silo is intended to store food and is made of polyethylene. The material assures you the best characteristics for storing and provides long-term use. The inner side of the silo is covered with paraffin, which prevents material from sticking on the walls. Thick walls provide excellent thermal insulation and prevent accumulation of condensation. Contents of the silo remain dry, no matter if it is placed in the open. This is important to ensure excellent quality materials.



new FeSilos	Code	EAN code	Size [mm]
FESILO 11 m ³ (one piece + metallic socle + opening)	2100063480	3831116150429	Ø2160 x 4675
Safety ring for stairs	2100064080	3830050774067	-
Filling pipe with flanged connection	2100064190	3830050774104	-



HAYRACK

HAYRACK In order to be able to feed the animals optimally, our hayracks are ideal, they are easy to handle, frost-proof, puncture- and break-proof.

- The hayrack is suitable for square bales and round bales with a diameter up to 190 cm. Depending on the model, there is room for up to 6 horses at the feeding place.
- Is open at the bottom and can easily be slipped over hay bales.
- Easy to clean. The food is protected and cannot be plucked or depressed by the animals.
- Will not be eaten and is frost-proof, Nostrils and lips will not stick to the frost-resistant material, (PE-HD plastic) even in cold weather.



light
weight
80 kg



Product	Volume	Code	EAN code	Size [mm]
Hayrack	3000 L	21000063420	3830010983423	Ø2000 × 1000





WATER TANK

Rotrans water tanks are made of polyethylene and are therefore suitable for storing water. They are ideal for above-ground storage and transport of liquids.

- threaded cover DN400, PE
- there are holes on the upper part for tying and tensioning the belt for safer transport
- below at the bottom is a flat surface on which you can mount a tap or drinking bowl
- form: round with leg supports
- easier transport with a forklift



2000 L
with drinking bowl



3000 L

new

Product	Code	EAN Code	Size [mm]
RoTrans 300 L	7100527200	3831116123386	1220 x 590 x 660
RoTrans 500 L	7100527210	3831116123393	1440 x 680 x 820
RoTrans 1000 L	7100527220	3831116123409	1730 x 870 x 1010
RoTrans 1500 L	7100527230	3831116123416	1610 x 1180 x 1310
RoTrans 2000 L	7100527240	3831116123423	1720 x 1250 x 1400
RoTrans 3000 L	7100527250	3831116123430	2030 x 1430 x 1600
RoTrans 5000 L	7100527260	3831116123447	2150 x 1840 x 1960





MANGER, FEEDER

ROTO FEEDERS for horses are made of durable polyethylene material. Cornered tubs are very convenient, because take up a little space in corner. All feeders and tubs are simple to clean and stabilized against UV rays and frost.



MANGER WITH
2 HOOKS



WALL
MANGER



CORNER
MANGER



BASKET
30 L



BASKET
40 L



FEEDER
S




FEEDER
M



FEEDER
L

Product	Code	EAN Code	Size [mm]	PCS/pallet
Manger with 2 hooks	2100065350	3830010981603	380 × 320 × 360	19
Wall manger 33 L	2100065360	3830010981610	490 × 370 × 300	38
Corner manger	2100078000	3830010989654	600 × 410 × 240	24
Basket 30 L	2100064840	3830010980101	Ø450 × 300	68
Basket 40 L	2100064850	3830010981979	Ø530 × 510	18
Feeder S	2100065000	3830010982273	470 × 440 × 180	19
Feeder M	2100065200	3830010982280	680 × 440 × 180	30
Feeder L	2100065210	3830010982297	1000 × 440 × 180	34





Roto, an international company based in Murska Sobota, specialises in the production of plastic mass. The roots of the family-run business go back to 1949. ROTO employs more than 550 people in 8 factories located in 4 countries.

Roto generated revenues of €100 million in 2022, selling products in 65 countries around the world.

Roto is Europe's leading rotomoulding company, producing more than 4,000 different products. The company's development is ensured by continuous innovation, new technologies and materials that ROTO develops with scientific institutes, universities and other companies.

The Roto-branded product groups are divided into four segments: products for agriculture, garden, sport and ecology. The use of composites and biodegradable and recycled polymers enables the production of the most complex products on the market.

Roto also manufactures a wide range of readymade products for various industries such as automotive, marine, construction and agricultural machinery, aquaculture and logistics. Added value comes from innovative design, the use of intelligent polymers and composites, and state-of-the-art manufacturing.





ROTO Slovenija
Puconci 12
9201 Puconci
Slovenija
agri@roto.si
+386 2 52 52 175

WWW.ROTO-GROUP.EU